Proof of concept of a single-channel EEG measure of

engagement in virtual rehabilitation

Jeffrey M. Rogers^a, Jenny Jensen^b, Joaquin T. Valderrama^{c,d,e}, Stuart J.

Johnstone^f, and Peter H. Wilson^g

^aThe University of Sydney, Faculty of Health Sciences, Sydney NSW, Australia. ORCID

0000-0002-0320-969X

^bAustralian Catholic University, School of Behavioural and Health Sciences, Melbourne VIC,

Australia.

^cNational Acoustic Laboratories Sydney NSW, Australia. ORCID 0000-0002-5529-8620

^dDepartment of Linguistics, Macquarie University, NSW Sydney, Australia

eThe HEARing CRC, Melbourne VIC, Australia.

^fUniversity of Wollongong, School of Psychology and Brain & Behaviour Research Institute,

Wollongong NSW, Australia. ORCID 0000-0001-5380-9952

^gAustralian Catholic University, School of Behavioural and Health Sciences and Centre for

Disability and Development Research, Melbourne VIC, Australia. ORCID 0000-0003-3747-

0287

Corresponding author: Prof Peter Wilson, School of Behavioural and Health Sciences,

Australian Catholic University, 115 Victoria Parade, Melbourne VIC 3450, Australia. Tel.:

+61 3 9953-3445; E-mail address: peterh.wilson@acu.edu.au

Disclosure of Interest: The authors have no conflict of interest to report.

Word Count: 199 Abstract; 4,005 Body

EEG Engagement 1

ABSTRACT

1

Stroke rehabilitation suffers from low levels of patient engagement, impeding recovery. 2 3 Virtual rehabilitation (VR) approaches can improve outcomes, however there is limited understanding of the participant's user experience and the field lacks a validated, objective 4 measure of VR engagement. A neurophysiological measure of engagement in healthy adults 5 6 was therefore examined, to inform future clinical studies. Twenty-four participants (M_{age} 26.7 7 years, range 18-47) interacted with a tabletop VR system (*Elements DNA*, or EDNA), after 8 which they rated their experience on the Presence Questionnaire (PQ). Separately, participants 9 completed tasks eliciting low (resting eyes-open and -closed) and high (EDNA VR and rollercoaster *simulation*) levels of engagement while continuous electroencephalogram (EEG) 10 11 was recorded from a single, left pre-frontal electrode. EEG differences between the resting and simulation conditions included an increase in theta power (p < 0.01), and a decrease in 12 alpha power (p < 0.01). Importantly, theta power in *simulation* conditions correlated with PQ 13 14 scores expressing the hands-on EDNA VR experience ($r_s = 0.38 - 0.48$). In conclusion, the 15 current results provide proof of concept that increased frontal theta power in healthy adults provides a valid measure of user engagement in VR simulation and participation. As the 16 17 practical potential of VR is increasingly realised in stroke rehabilitation, objective EEG-based measures of engagement may provide a convenient and sensitive technique to assist in 18 19 evaluating these interventions.

20

Key words: engagement; presence; electroencephalogram; rehabilitation; virtual-reality

22

23

21

Acknowledgements

- 24 This research did not receive any specific grant from funding agencies in the public,
- 25 commercial, or not-for-profit sectors.

1. INTRODUCTION

1

2 In the context of health interventions, engagement refers to mental states, experiences, and processes that foster deliberate and effortful patient commitment to working towards their 3 healthcare goals (Barello et al. 2012; Bright et al. 2015). Following the neuro-trauma of 4 5 stroke, patient engagement is critical to the process of rehabilitation and predictive of positive outcomes (Burke et al. 2009a; Langhorne et al. 2011; Maclean et al. 2000). A combination 6 of internal (e.g., depressive moods, fear of pain, or negative attitudes; Lequerica et al. 2009), 7 8 environmental (e.g., poor client-therapist relationship, unclear session goals; Lequerica and 9 Kortte 2010) or task-related issues (e.g. excessive task difficulty and insufficient affordances 10 for action; Triberti and Riva 2015) can diminish patient engagement. Procedural barriers, 11 such as repetitive and mundane exercises (Maclean et al. 2000), are also frequently cited as contributing to low levels of patient engagement with conventional rehabilitation techniques 12 13 (Bright et al. 2015; Lenze et al. 2004; Lequerica et al. 2009). 14 15 Virtual reality approaches have been developed to increase motivation to participate in 16 rehabilitation by presenting exercises in an enjoyable, interactive, and novel manner (Duckworth et al. 2015; Howard 2017; Mumford et al. 2012; Rogers et al. 2019). Based on 17 virtual reality simulation and interactive technologies, and informed by neuroscience and 18 19 learning theory, these so-called "virtual rehabilitation" (VR) approaches attempt to maximise user engagement by the provision of: (1) an enriched therapeutic environment (Perez et al. 20 21 2004) that both affords action and engages the patient's cognitive attention; (2) augmented 22 feedback in real time and after performance (Maier et al. 2019; Zimmerli et al. 2013) to enhance motor learning and future movement planning; and (3) in-system scaling of the level 23 of task challenge (Schultheis and Rizzo 2001), ensuring dynamic scaffolding of the user's 24 processing and response capabilities. 25

Meta-analyses of post-stroke VR interventions have repeatedly revealed the approach is more beneficial for recovery than conventional therapies (Aminov et al. 2018; Laver et al. 2017; Lohse et al. 2014; Palma et al. 2017). Additional reviews have identified principles of motor (e.g. variable practice, implicit and explicit feedback, increasing intensity) and social cognitive learning (e.g. vicarious learning, performance accomplishment) presumed to underlie the positive effect of post-stroke VR (Imam and Jarus 2014; Maier et al. 2019). However, despite an evidence-based approach to the development of VR, and much deliberation about the active ingredients of VR that may contribute to engagement (Burke et al. 2009b; Levin 2011; Lewis and Rosie 2012; Zimmerli et al. 2013), there is little work formally evaluating whether VR approaches can, in fact, enhance patient engagement. Engagement is often assessed via self-report measures of the subjective experience of *presence* (Barello et al. 2012; Kober et al. 2012). Presence refers to the subjective experiences mediated by an environment, including the extent to which it engages our senses, captures our attention, and fosters our active involvement (Witmer et al. 2005).

However, self-report approaches require attention, comprehension, self-reflection, and communication skills that are often compromised after stroke and other neurological injuries. Alternatively, electrophysiological methods can provide an objective measure of a user's immediate responses to VR, which correlate with traditional self-report measures of engagement (Leiker et al. 2016; Zimmerli et al. 2013). In particular, the electroencephalogram (EEG) can provide real-time information on brain activity, with the level of task engagement reliably associated with EEG indices of attentional allocation, visual interpretation, and information processing (Berka et al. 2007). Specifically, increased frontal theta (brain activity with an oscillation rhythm in the frequency band 3.5-7.5 Hz) is consistently associated with heightened engagement during skilled motor performance (Kao et al. 2013) or video game play (Ewing et al. 2016; Nagendra et al. 2017; Salminen and Ravaja 2008; Yamada 1998).

More recently, the Engagement Index (EI; Pope et al. 1995) - a ratio of theta, alpha (brain 53 54 oscillations in the band 7.5-12.5 Hz), and beta (frequency band 12.5-25 Hz) EEG activity has also been used to measure engagement in video game play (McMahan et al. 2015; 55 Nagendra et al. 2017). While EEG has been used to evaluate spatial processing (Baumgartner 56 57 et al. 2006; Kober et al. 2012) and motor function (Calabro et al. 2017; Lee et al. 2015; Oliveira et al. 2018) in a VR environment, EEG has not been used to evaluate VR engagement. 58 59 60 EEG metrics such as EI or frontal theta may also prove to be valid measures of VR engagement, but this has not yet been formally tested. These EEG metrics have historically 61 been obtained using conventional multi-channel recording arrays, which can be cumbersome 62 63 to use (Badcock et al. 2013; Johnstone et al. 2012), redundant (Schleiger et al. 2014), and poorly tolerated by neurological patients (Badcock et al. 2013; Johnstone et al. 2012). 64 Alternatively, single-channel EEG systems offer a simple and efficient means of data 65 collection while maintaining data quality (Johnstone et al. 2012) and reliability (Rogers et al. 66 67 2016), and would appear suited for acquiring EEG measurements of VR engagement. 68 69 The aim of the present study was therefore to provide a proof of concept of a single-channel device to obtain EEG indices of user engagement in VR. Prior to proceeding with a clinical 70 71 study, a convenience sample of young, healthy adults was recruited to ensure the study methodology was sufficiently sensitive, and to help avoid wasting the time of stroke survivors 72 and their families and carers. We compared EEG metrics between two resting conditions 73 74 designed to elicit low levels of engagement and two simulation conditions designed to elicit 75 higher levels of engagement. We predicted that healthy controls would exhibit a significant difference in frontal theta values and EI scores as a function of task condition. Also, we 76 77 predicted that these EEG metrics would positively correlate with a standard self-report

measure of virtual presence/engagement in a validated VR activity.

78

2. MATERIAL AND METHODS

- 81 This study was approved by the institutional ethics committee of the Australian Catholic
- 82 University (HREC N°: 2017-78E), and performed in accordance with their guidelines.

2.1 Participants

- Twenty-five participants (17 female, $M_{age} = 26.7$ years, range: 18-47 years) were recruited
- 86 from a university population in Australia. Eligible participants were English speaking and in
- 87 good health, with no reported history of head injury, psychiatric disorder, neurological
- disorder, cardiovascular disease, or substance abuse. All participants were right handed, with
- 89 normal hearing and normal or corrected to normal vision.

2.2 VR System

Elements DNA (or EDNA) is a virtual-reality based tabletop-mounted VR system that affords an embodied and playful form of interaction via goal-directed and exploratory tasks to train manual skills and volition. Previous evaluations of the EDNA system have identified strong improvements in motor, cognitive, and everyday performance in various forms of neuro-disability including hemiplegia through childhood cerebral palsy and stroke (Green and Wilson 2014; Green and Wilson 2012), and traumatic brain injury and stroke in adults (Mumford et al. 2010; Mumford et al. 2012; Rogers et al. 2019). The EDNA display technology consists of a 3MTM 42-inch LCD touchscreen, with integrated computer, multitouch capacity, and marker based tracking (Duckworth et al. 2015). Presented on the display is the EDNA training environment and tasks (Figure 1), a series of four goal-directed and three exploratory movement activities (Mumford et al. 2010), including: *Bases*, consisting of a home base and four potential target locations. The circular targets are cued in a fixed order (east, north, west, south) using an illuminated border; *Random Bases*, with the same

configuration of targets, but highlighted in random order; *Go*, consisting of a target circle appearing randomly in one of nine locations configured along three radials emanating from the home base; *Go-No-Go*, which uses the same target positions as *Go*, however, additional distractor shapes appear. Participants are instructed to respond to circular targets only and resist moving to distractors; and *Mixer*, *Squiggles*, and *Swarm*, tasks which are creative in nature, requiring participants to create novel audio-visual effects through active manual manipulation of tangible interfaces.

2.3 Task Conditions

Continuous EEG was recorded during two *resting* and two *simulation* conditions, each 2-min in duration. The *resting* eyes closed (rEC) condition required the participant to sit with their eyes closed. The *resting* eyes open (rEO) condition presented a video of white circles rotating clockwise on a black background. The first *simulation* condition presented video (with sound) of a rollercoaster ride (sRC), from a first-person perspective, sourced from YouTube (https://www.youtube.com/watch?v=q90JsglUY0U). A roller coaster scenario has often been used in the assessment of engagement-related phenomenon (Baumgartner et al. 2008; Freeman et al. 1999; Jäncke et al. 2009). The second *simulation* condition (sVR) comprised a sequence of videos (with sound), from a first-person perspective, showing performance of manual training tasks (Bases, Go, Squiggles, and Swarm) from the EDNA VR system (Green and Wilson 2012; Mumford et al. 2010; Mumford et al. 2012).

2.4 Engagement self-report

The Presence Questionnaire (PQ) version 3 (https://docplayer.net/52991659-Presence-questionnaire-witmer-singer-vs-3-0-nov-1994-revised-by-the-uqo-cyberpsychology-lab-2004.html), is a 24-item self-report questionnaire designed to measure the degree of presence experienced in a virtual environment (α = 0.88), encompassing four factors: Involvement;

Adaptation/Immersion; Sensory Fidelity; and Interface Quality (Witmer et al. 2005; Witmer and Singer 1998). Using a 7-point Likert-type scale, higher scores indicate greater user engagement (max. = 168).

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

133

131

132

2.5 EEG acquisition and analysis

Continuous EEG was collected during repeated 2-min conditions using the NeuroSky MindWave device (NeuroSkyTM, CA, USA). The MindWave device continuously samples EEG data at 512 samples per second from a single dry stainless-steel electrode positioned at the International 10-20 system site FP1, referenced to the left earlobe. Raw EEG data was transmitted wirelessly via Bluetooth to a laptop computer for off-line analysis in MatLab (Release 2017a; The MathWorks Inc. Natick MA), using functions from the "Signal Processing" and "Statistics, and Machine Learning" toolboxes. The raw EEG waveform was bandpass filtered (4th order Butterworth, 0.5-30 Hz) and baseline corrected. Eye-blink artefact correction was performed using Iterative Template Matching and Suppression (ITMS), an algorithm that automatically detects and suppresses eye-blink artefacts from a single-channel EEG (Valderrama et al. 2018). The EEG waveform was segmented into contiguous 2-sec epochs (0.5 Hz spectral resolution; 50% overlap), and any epochs containing amplitudes in excess of ±150µV were automatically rejected. Denoised epochs were applied a Hamming window of the same duration, transformed to the frequency domain through the Fast Fourier Transform (FFT), magnitude squared, and averaged in order to obtain the power spectral density from which the absolute spectral power was estimated in the four classical frequency bands: delta (0.5–3.5 Hz), theta (3.5–7.5 Hz), alpha (7.5–12.5 Hz), and beta (12.5–25 Hz). Relative power was calculated by summing absolute power across the four bands to compute the total power, and then dividing the absolute power for each individual band by the total power, expressed as a percentage. Finally, relative power in the relevant bands was used to calculate EI, defined as beta/(alpha+theta).

2.6 Procedure

Each participant provided written informed consent for voluntary participation. Testing took place in a quiet room free from distraction, at the university, with all tasks administered by the second author, following training in EEG and VR from the first and senior authors, respectively. Participants were tested individually in a single session lasting approximately 45-min, divided into two parts. In part one, participants were fitted with the MindWave device. After minimising impedance levels, participants completed the four task conditions (rEC, rEO, sRC, sVR), with the order of administration counterbalanced. Participants were not moving objects during these conditions, only observing. Conditions were presented on a 42-inch, high definition television monitor, positioned at eye level, 1 m from the seated participant. Audio was presented through paired external speakers (LogitechTM) positioned at 30 cm to each side of the display and set at a comfortable audible level (approximately 60 dB). In part two, participants completed a total of 10 min of guided participation on the EDNA VR system, playing with both goal-directed and exploratory tasks. Immediately afterward, participants completed the PQ in reference to their experience of using the EDNA system.

2.7 Statistical analysis

All statistical analyses were conducted using IBM SPSS Statistics for Windows version 24 (IBM Corp, Armonk, NY). All data was checked for normality using Shapiro-Wilk's tests, where violations were detected the non-parametric alternative (e.g. Friedman test, Wilcoxon Test) was applied. A series of one-way repeated measures ANOVAs examined the differential effect of task condition (rEC, rEO, sRC, sVR) on each of the four EEG frequency bands (delta, theta, alpha, beta) and the EI metric. Post-hoc contrasts were conducted using Bonferroni adjustments (p < 0.008 for six multiple comparisons). EEG measures that showed condition effects were then included in a one-tailed Spearman's rank-order correlation analysis with the

183 PQ total score.

3. RESULTS

Complete data were available from 24 participants; due to an EEG recording issue, data from one participant was excluded from analysis. EEG data from the four task conditions are presented in Table 1. Following the session with the EDNA VR system, participants' average self-reported engagement, as measured by the PQ total score was 137 (SD = 14, range 103-160).

There was no main effect of condition on the delta [F(3,69)=0.77, p=0.51] or beta $[\chi^2(3)=6.64, p=0.08]$ power bands. In contrast, the condition effect was significant for the theta $[F(3,69)=21.59, p<0.01, \text{ partial }\eta^2=0.48]$ and alpha bands $[F(3,69)=9.20, p<0.01, \text{ partial }\eta^2=0.29]$, and EI scores $[\chi^2(3)=12.19, p<0.01]$. After correcting for multiple comparisons, none of the post-hoc differences for EI scores reached statistical significance. Post-hoc testing (Table 2) did identify significant increases (p<0.008) in relative theta band power from the resting (rEC and rEO) to the *simulation* conditions (sRC and sVR). The increase in frontal theta band activity was equivalent for both the rollercoaster and the EDNA VR simulations. For frontal alpha band power, there was a significant decrease $(p\leq0.005)$ from the resting conditions (rEC and rEO) to the *simulation* EDNA VR task, and from the resting eyes closed task to the *simulation* rollercoaster task (p=0.005).

Based on the condition effects, theta and alpha band relative power data were entered into correlational analysis with PQ total scores (Table 3). Positive correlations were found between PQ total scores and relative power of theta in the two *simulation* conditions [sVR, $r_s = 0.38$, p = 0.04; sRC, $r_s = 0.48$, p = 0.02], suggesting a *moderate* association between an EEG biomarker of engagement (theta) and a self-report measure of engagement (PQ total score). Additionally, there was a negative association between theta and alpha in the resting eyes

closed [r_s = -0.46, p = 0.01] and resting eyes open conditions [r_s = -0.39, p = 0.03], consistent with the expected sensitivity of these EEG frequencies to standard variations in resting state task conditions (Barry et al. 2007; Barry et al. 2014).

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

211

209

210

4. GENERAL DISCUSSION

Engagement in rehabilitation is a multi-dimensional phenomenon (Bright et al. 2015), driven by personal factors such as the motivation and active participation of the patient (Brett et al. 2017; Lequerica et al. 2009), environmental factors associated with the setting and therapeutic alliance, and task factors associated with the rehabilitation activities (Bartur et al. 2017; Burke Greater levels of engagement are predictive of positive outcomes, as et al. 2009a). engagement fosters the transfer of trained skills and knowledge to corresponding real world behaviour (Kober et al. 2012). Therefore, as the emerging field of VR seeks to build an evidence base to inform design and validate clinical efficacy, there is an increasing need for robust methods for determining when individuals are sufficiently engaged. However, given its subjective nature, assessment of engagement is a challenging task (McMahan et al. 2015). As an alternative to self-report questionnaires, single-channel EEG technology may offer an easy (Ekandem et al. 2012) and efficacious (Johnstone et al. 2012; Rogers et al. 2016) neurophysiological measure of an individual's level of engagement. In the current study, frontal theta was particularly sensitive to task manipulations in the level of engagement, and was associated with the subjective self-reported level of engagement, providing converging evidence in support of its use as a measure of user engagement in VR simulation and participation. These results are discussed, in turn, below.

231

232

233

234

4.1 Theta as a measure of engagement

Augmented frontal theta is associated with cognitive control and working memory function

(Cavanagh and Frank 2014; Hsieh and Ranganath 2014), and focused (Doppelmayr et al.

2008) and sustained attention (Fairclough and Venables 2006; Fairclough et al. 2005). The relationship between theta and these aspects of mental effort have led to the uptake of frontal theta band activity as an index of engagement in flight and air traffic control simulations (Borghini et al. 2011; Dussault et al. 2005; Smith et al. 2001) and the video gaming literature (Ewing et al. 2016; Nagendra et al. 2017; Salminen and Ravaja 2008; Yamada 1998), but has yet to be applied in VR research.

In the current study, theta obtained from a single, left pre-frontal electrode was sensitive to manipulations in a series of VR-related activities, with the less engaging, *resting* conditions (rEC and rEO) associated with lower relative power in the theta band, and the more engaging rollercoaster *simulation* condition (sRC) associated with greater theta band activity. This pattern of theta modulation was consistent with previous reports of the impact of more and less immersive virtual reality environments (Slobounov et al. 2015), but findings had not previously been linked with the concept of engagement.

Encouragingly, theta band activity during the EDNA condition (sVR) was comparable to the rollercoaster condition (sRC), providing preliminary criterion-related evidence of the enhanced level of engagement that can be facilitated by a VR approach. Furthermore, theta band power in the rollercoaster and EDNA conditions also corresponded with engagement levels measured on the PQ, a standard self-report questionnaire. The PQ has been repeatedly endorsed as a valid and reliable measure of presence and engagement in a variety of contexts (Brackney and Priode 2017; Deutsch et al. 2013; Gamito et al. 2010; Witmer et al. 2005), and the questionnaire offers superior psychometrics to the various one-item Likert scales that have been utilised in past research (e.g., Baumgartner et al. 2008; Freeman et al. 1999; Kober et al. 2012; Slobounov et al. 2015). The similar pattern of modulation in theta band power activity and subjective self-report offers encouraging preliminary face validity that single-channel

EEG changes in frontal theta band activity express variations in VR engagement.

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

261

In the current study, the *simulation* EEG conditions were also differentiated from the *resting* EEG conditions by a significant decrease in alpha band activity. These findings are consistent with previous observations that frontally distributed alpha band power is prominent during relaxed conditions at decreased attention levels, and attenuates during more complex and cognitively demanding tasks (Fairclough et al. 2005; Slobounov et al. 2000) and less immersive virtual reality environments (Kober et al. 2012). The two-factor pattern identified in the current study, comprised of a decrease in alpha and an increase in theta activity, has also previously been described (Smith et al. 2001), and connected to enhanced accuracy of performance (Klimesch 1999). However, alpha power in the current study was not correlated with PQ self-report. At frontal electrode sites, this EEG frequency therefore appears to reflect bottom-up variations in attention and arousal (Barry et al. 2007; Barry et al. 2014), likely related to the amount of visual scanning, rather than top-down levels of VR engagement. Finally, as expected, no significant difference in delta and beta band activity were detected across the different EEG conditions. These frequency bands are associated with states of sleep or deep restfulness (delta) and heavy cognitive load (beta) that were not induced by the conditions in the current study.

279

280

281

282

283

284

285

286

278

4.2 EI as a measure of engagement

Contrary to expectation, EI scores (the ratio of beta to alpha+theta) in the current study were not sensitive to variations in the *resting* and *simulation* EEG conditions. Notably, previous reports of the association between EI scores and engagement were derived from multi-channel EEG systems (McMahan et al. 2015; Pope et al. 1995), while the current study relied upon a single pre-frontal electrode. The subjective experience of engagement in virtual environments has been linked to activity within a distributed fronto-parietal network, including down-

regulation of prefrontal inhibitory control mechanisms, and increased activation of parietal sensory processing centres (Baumgartner et al. 2008; Baumgartner et al. 2006). A global EEG index such as EI, derived from the grand averaged band power across a multi-channel array, may be well suited for monitoring activity within this network. However, EI does not appear to be the optimal algorithm for calculating user engagement levels from a single pre-frontal channel EEG system, which lacks central and posterior electrode sites.

4.3 Limitations and Future directions

While there is an increasing body of literature suggesting that engagement can be measured via EEG paradigms, there are no well-established methodologies and agreed-upon evaluation procedures. The meaning of "engagement" itself remains loosely articulated, with the term linked variously to attributes of flow theory (Csikszentmihalyi 1990), aesthetic theory (Beardsely 1982), play theory (Stephenson 1967), and information interaction (Toms 2002). Acknowledging the contribution of all of these theories, O'Brien and Toms (O'Brien and Toms 2008) have proposed a unifying framework for engagement comprised of core attributes including focused attention, system feedback, user control, activity orientation, and intrinsic motivation; importantly, the current study utilized an engagement questionnaire with a factor structure (involvement; immersion; sensory fidelity; interface quality) well aligned to this model (Witmer et al. 2005).

In view of existing problems with movement artifacts during EEG measurements (Reinecke et al. 2011), the evaluation of VR tasks and exercises is more limited to simulation exercises that involve negligible movement. The current study therefore acquired EEG during the observation rather than the completion of EDNA tasks and exercises, and we acknowledge the two processes are not equivalent. However, neuroimaging studies suggest mental representations of an action can be activated by virtual reality stimuli without the execution of overt actions

(Baumgartner et al. 2007; Jäncke et al. 2009). Hence, the experience of engagement with the EDNA system can be induced while only *observing* VR tasks, with resultant variations in the EEG corresponding to self-reported engagement while *completing* VR tasks. Moreover, action observation and mental rehearsal themselves have been used as an effective rehabilitation strategy for severe brain injury (Ruffino et al. 2017).

In addition to body movement, EEG from a single-channel device can be susceptible to eyeblink and eye-movement artifacts. In the current study, while eye blink artifacts could be suppressed by the ITMS method (Valderrama et al. 2018), epochs containing eye movement artifacts were simply rejected. This results in data loss, and the eyes closed condition contained nearly double the number of valid epochs as each of the eyes open conditions (49.79±18.30 c.f. 27.56±15.31). However, using tasks 2-min long, the average number of valid epochs in each condition was well above the inclusion level for analysis, Longer EEG acquisition time frames may be advisable in future trials involving participant populations anticipated to be susceptible to eye movement artifacts (e.g. eye or neck dystonia).

Furthermore, the current study utilized a convenience sample of healthy adults, rather than the target population of stroke survivors, as it was deemed inappropriate to proceed to recruitment of a clinical population without first establishing proof of concept. Participants were therefore far younger and healthier than a typical survivor of stroke [JR find current reference). As EEG activity changes over the lifespan (Barry et al. 2014; Zappasodi et al. 2015) and after a stroke (Finnigan et al. 2016), the current findings require replication in the target clinical population before theta obtained from a single, left pre-frontal electrode can be confidently offered as a measure of post-stroke VR engagement, and a potential alternative to subjective self-report.

The Motivational Intensity Model (Ewing et al. 2016; Wright 2008) provides a conceptual

framework for defining states of engagement, based upon the relationship between task demands and user effort. The ideal level of engagement is characterised by a degree of task demand and skill development that is sufficient to avoid boredom, but not so great that the user experiences "overload," making task mastery or competence unlikely, and withdrawing effort. While the current study suggests single-channel theta EEG power can detect the threshold between boredom (i.e. the absence of engagement) and engagement, further work is required to establish single-channel indices of the upper limit between engagement and overload. Awareness of both lower and upper thresholds will be crucial in the design of effective and responsive VR paradigms that can keep patients continuously engaged (Bartur et al. 2017; McMahan et al. 2015).

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

348

339

340

341

342

343

344

345

346

347

Finally, in the context of stroke rehabilitation, it is important to recognise that patient attendance in a rehabilitation program does not automatically equate to patient engagement with the rehabilitation program (Imms et al. 2017; Li et al. 2016). Li and colleagues (Li et al. 2016) have argued that evaluation of engagement should consider four separate, but interrelated aspects: motor engagement, perceptive engagement, cognitive engagement, and emotional engagement. Indicators of motor engagement can include electromyography (Zimmerli et al. 2013) and kinematic measures (Li et al. 2014), perceptive engagement can be monitored via eye blinking activity (Yamada 1998) and eye tracking systems (Miller 2015), indices of positive emotion (Ostir et al. 2008; Seale et al. 2010) can be used to track emotional engagement, and EEG measures can be utilised as an indicator of cognitive engagement (Ewing et al. 2016; Kao et al. 2013; Nagendra et al. 2017; Salminen and Ravaja 2008; Yamada 1998). While this engagement evaluation model requires external validation, the approach is consistent with calls for multiple measures and mixed methods (Lalmas et al. 2014), and the current study likely captures just one facet of the multidimensional construct of user engagement.

265	
202	

5. CONCLUSIONS

There has been a rapid growth in the use of virtual reality for health purposes, including enhancement of post-stroke motor and cognitive rehabilitation (Aminov et al. 2018). The success of VR approaches such as EDNA in this arena will depend, in part, on the capability of virtual reality applications to facilitate patient engagement (Slobounov et al. 2015). The current findings suggest that modulation of frontal theta, obtained from a single channel of EEG, expresses the subjective sense of presence induced by the EDNA system. These preliminary findings provide proof of concept of an objective approach for measuring a key component of engagement in VR, which will be of value in elucidating the impact of system design and implementation factors, and evaluating the efficacy of VR as a clinical intervention.

391	
392	
393	
394	REFERENCES
395	Aminov A, Rogers JM, Middleton S, Caeyenberghs K, Wilson PH (2018) What do
396	randomized controlled trials say about virtual rehabilitation in stroke? A systematic
397	literature review and meta-analysis of upper-limb and cognitive outcomes. J Neuroeng
398	Rehabil 15:29 doi:10.1186/s12984-018-0370-2
399	Badcock NA, Mousikou P, Mahajan Y, de Lissa P, Thie J, McArthur G (2013) Validation of
400	the Emotiv EPOC EEG gaming system for measuring research quality auditory ERPs.
401	PeerJ e38
402	Barello S, Graffigna G, Vegni E (2012) Patient engagement as an emerging challenge for
403	healthcare services: Mapping the literature. Nurs Res Pract 2012:905934
404	doi:10.1155/2012/905934
405	Barry RJ, Clarke AR, Johnstone SJ, Magee CA, Rushby JA (2007) EEG differences between
406	eyes-closed and eyes-open resting conditions. Clin Neurophysiol 118:2765-2773
407	doi:10.1016/j.clinph.2007.07.028
408	Barry RJ, De Blasio FM, Cave AE (2014) Eyes-closed vs. eyes-open EEG in young and older
409	adults. Int J Psychophysiol 94:236
410	Bartur G, Joubran K, Peleg-Shani S, Vatine JJ, Shahaf G (2017) An EEG tool for monitoring
411	patient engagement during stroke rehabilitation: A feasibility study. Biomed Res Int
412	2017:9071568 doi:10.1155/2017/9071568
413	Baumgartner T, Speck D, Wettstein D, Masnari O, Beeli G, Jancke L (2008) Feeling present
414	in arousing virtual reality worlds: Prefrontal brain regions differentially orchestrate
415	presence experience in adults and children. Front Hum Neurosci 2:8
416	doi:10.3389/neuro.09.008.2008

417	Baumgartner T, Valko L, Esslen M, Jancke L (2006) Neural correlate of spatial presence in an
418	arousing and noninteractive virtual reality: an EEG and psychophysiology study.
419	Cyberpsychol Behav 9:30-45 doi:10.1089/cpb.2006.9.30
420	Baumgartner T, Willi M, Jancke L (2007) Modulation of corticospinal activity by strong
421	emotions evoked by pictures and classical music: A transcranial magnetic stimulation
422	study. Neuroreport 18:261-265 doi:10.1097/WNR.0b013e328012272e
423	Beardsely M (1982) The aesthetic point of view. Cornell University Press, Ithaca, NY
424	Berka C et al. (2007) EEG correlates of task engagement and mental workload in vigilance,
425	learning, and memory tasks. Aviat Space Environ Med 78:B231-244
426	Borghini G, Isabella R, Vecchiato G, Toppi J, Astolfi L, Caltagirone C, Babiloni F (2011)
427	Brainshield HREEG study of perceived pilot mental workload. Ital J Aerosp Med
428	5:34-47
429	Brackney DE, Priode K (2017) Back to reality: The use of the Presence Questionnaire for
430	measurement of fidelity in simulation. J Nurs Meas 25:66-73 doi:10.1891/1061-
431	3749.25.2.E66
432	Brett CE, Sykes C, Pires-Yfantouda R (2017) Interventions to increase engagement with
433	rehabilitation in adults with acquired brain injury: A systematic review. Neuropsychol
434	Rehabil 27:959-982 doi:10.1080/09602011.2015.1090459
435	Bright FA, Kayes NM, Worrall L, McPherson KM (2015) A conceptual review of
436	engagement in healthcare and rehabilitation. Disabil Rehabil 37:643-654
437	doi:10.3109/09638288.2014.933899
438	Burke JW, McNeill MDJ, Charles DK, Morrow PJ, Crosbie JH, McDonough SM (2009a)
439	Optimising engagement for stroke rehabilitation using serious games. Vis Comput
440	25:1085 doi:10.1007/s00371-009-0387-4
441	Burke JW, McNeill MDJ, Charles DK, Morrow PJ, Crosbie JH, McDonough SM (2009b)
442	Optimising engagement for stroke rehabilitation using serious games. Vis Comput

143	25:1085 d01:10.100//s003/1-009-038/-4
144	Calabro RS et al. (2017) The role of virtual reality in improving motor performance as
145	revealed by EEG: a randomized clinical trial. J Neuroeng Rehabil 14:53
146	doi:10.1186/s12984-017-0268-4
147	Cavanagh JF, Frank MJ (2014) Frontal theta as a mechanism for cognitive control. Trends
148	Cogn Sci 18:414-421 doi:10.1016/j.tics.2014.04.012
149	Csikszentmihalyi M (1990) Flow: The psychology of optimal experience. Harper & Row,
150	New York
151	Deutsch JE, Myslinski MJ, Kafri M, Ranky R, Sivak M, Mavroidis C, Lewis JA (2013)
152	Feasibility of virtual reality augmented cycling for health promotion of people
153	poststroke. J Neurol Phys Ther 37:118-124 doi:10.1097/NPT.0b013e3182a0a078
154	Doppelmayr M, Finkenzeller T, Sauseng P (2008) Frontal midline theta in the pre-shot phase
155	of rifle shooting: Differences between experts and novices. Neuropsychologia
156	46:1463-1467 doi:10.1016/j.neuropsychologia.2007.12.026
157	Duckworth J et al. Resonance: An interactive tabletop artwork for co-located group
158	rehabilitation and play. In: International Conference on Universal Access in Human-
159	Computer Interaction, 2015. Springer, pp 420-431
160	Dussault C, Jouanin JC, Philippe M, Guezennec CY (2005) EEG and ECG changes during
161	simulator operation reflect mental workload and vigilance. Aviat Space Environ Med
162	76:344-351
163	Ekandem JI, Davis TA, Alvarez I, James MT, Gilbert JE (2012) Evaluating the ergonomics of
164	BCI devices for research and experimentation. Ergonomics 55:592-598
165	Ewing KC, Fairclough SH, Gilleade K (2016) Evaluation of an adaptive game that uses EEG
166	measures validated during the design process as inputs to a biocybernetic loop. Front
167	Hum Neurosci 10:223 doi:10.3389/fnhum.2016.00223
168	Fairclough SH, Venables L (2006) Prediction of subjective states from psychophysiology: A

469	multivariate approach. Biol Psychol 71:100-110 doi:10.1016/j.biopsycho.2005.03.007
470	Fairclough SH, Venables L, Tattersall A (2005) The influence of task demand and learning on
471	the psychophysiological response. Int J Psychophysiol 56:171-184
472	doi:10.1016/j.ijpsycho.2004.11.003
473	Finnigan S, Wong A, Read S (2016) Defining abnormal slow EEG activity in acute ischaemic
474	stroke: Delta/alpha ratio as an optimal QEEG index. Clin Neurophysiol 127:1452-
475	1459 doi:10.1016/j.clinph.2015.07.014
476	Freeman J, Avons SE, Pearson DE, IJsselsteijn WA (1999) Effects of sensory information
477	and prior experience on direct subjective ratings of presence. Presence-Teleop Virt
478	8:1-13
479	Gamito P et al. (2010) Training presence: The importance of virtual reality experience on the
480	"sense of being there". Stud Health Technol Inform 154:128-133
481	Green D, Wilson P (2014) Applications of VR technologies for childhood disability. In:
482	Virtual Reality for Physical and Motor Rehabilitation. Springer, New York, pp 203-
483	216
484	Green D, Wilson PH (2012) Use of virtual reality in rehabilitation of movement in children
485	with hemiplegia- A multiple case study evaluation. Disabil Rehabil 34:593-604
486	Howard MC (2017) A meta-analysis and systematic literature review of virtual reality
487	rehabilitation programs. Comput Hum Behav 70:317-327
488	doi:10.1016/j.chb.2017.01.013
489	Hsieh LT, Ranganath C (2014) Frontal midline theta oscillations during working memory
490	maintenance and episodic encoding and retrieval. NeuroImage 85 Pt 2:721-729
491	doi:10.1016/j.neuroimage.2013.08.003
492	Imam B, Jarus T (2014) Virtual reality rehabilitation from social cognitive and motor learning
493	theoretical perspectives in stroke population. Rehabil Res Pract 2014:594540
494	doi:10.1155/2014/594540

495	Imms C, Granlund M, Wilson PH, Steenbergen B, Rosenbaum PL, Gordon AM (2017)
496	Participation, both a means and an end: a conceptual analysis of processes and
497	outcomes in childhood disability. Dev Med Child Neurol 59:16-25
498	doi:10.1111/dmcn.13237
499	Jäncke L, Cheetham M, Baumgartner T (2009) Virtual reality and the role of the prefrontal
500	cortex in adults and children. Front Neurosci 3 doi:10.3389/neuro.01.006.2009
501	Johnstone SJ, Blackman R, Bruggemann JM (2012) EEG from a single-channel dry-sensor
502	recording device. Clin EEG Neurosci 43:112-120
503	Kao SC, Huang CJ, Hung TM (2013) Frontal midline theta is a specific indicator of optimal
504	attentional engagement during skilled putting performance. J Sport Exerc Psychol
505	35:470-478
506	Klimesch W (1999) EEG alpha and theta oscillations reflect cognitive and memory
507	performance: A review and analysis. Brain Res Brain Res Rev 29:169-195
508	Kober SE, Kurzmann J, Neuper C (2012) Cortical correlate of spatial presence in 2D and 3D
509	interactive virtual reality: An EEG study. Int J Psychophysiol 83:365-374
510	doi:10.1016/j.ijpsycho.2011.12.003
511	Lalmas M, O'Brien H, Yom-Tov E (2014) Measuring user engagement. Synth Lect Inf
512	Concepts Retr Serv 6:1-132
513	Langhorne P, Bernhardt J, Kwakkel G (2011) Stroke rehabilitation. Lancet 377:1693-1702
514	doi:10.1016/S0140-6736(11)60325-5
515	Laver KE, Lange B, George S, Deutsch JE, Saposnik G, Crotty M (2017) Virtual reality for
516	stroke rehabilitation. Cochrane Database Syst Rev
517	Lee SH, Kim YM, Lee BH (2015) Effects of virtual reality-based bilateral upper-extremity
518	training on brain activity in post-stroke patients. J Phys Ther Sci 27:2285-2287
519	doi:10.1589/jpts.27.2285
520	Leiker AM, Miller M, Brewer L, Nelson M, Siow M, Lohse K (2016) The relationship

521	between engagement and neurophysiological measures of attention in motion-
522	controlled video games: A randomized controlled trial. JMIR Serious Games 4:e4
523	doi:10.2196/games.5460
524	Lenze EJ, Munin MC, Quear T, Dew MA, Rogers JC, Begley AE, Reynolds CF (2004)
525	Significance of poor patient participation in physical and occupational therapy for
526	functional outcome and length of stay. Arch Phys Med Rehabil 85:1599-1601
527	Lequerica AH, Donnell CS, Tate DG (2009) Patient engagement in rehabilitation therapy:
528	Physical and occupational therapist impressions. Disabil Rehabil 31:753-760
529	doi:10.1080/09638280802309095
530	Lequerica AH, Kortte K (2010) Therapeutic engagement: A proposed model of engagement
531	in medical rehabilitation. Am J Phys Med Rehabil 89:415-422
532	doi:10.1097/PHM.0b013e3181d8ceb2
533	Levin MF (2011) Can virtual reality offer enriched environments for rehabilitation? Expert
534	Rev Neurother 11:153-155 doi:10.1586/ern.10.201
535	Lewis GN, Rosie JA (2012) Virtual reality games for movement rehabilitation in neurological
536	conditions: how do we meet the needs and expectations of the users? Disabil Rehabil
537	34:1880-1886 doi:10.3109/09638288.2012.670036
538	Li C, Rusak Z, Horvath I, Ji L (2014) Influence of complementing a robotic upper limb
539	rehabilitation system with video games on the engagement of the participants: A study
540	focusing on muscle activities. Int J Rehabil Res 37:334-342
541	doi:10.1097/mrr.00000000000000000000000000000000000
542	Li C, Rusák Z, Horváth I, Ji L (2016) Development of engagement evaluation method and
543	learning mechanism in an engagement enhancing rehabilitation system. Eng Appl
544	Artif Intell 51:182-190 doi:10.1016/j.engappai.2016.01.021
545	Lohse KR, Hilderman CG, Cheung KL, Tatla S, Van der Loos HF (2014) Virtual reality
546	therapy for adults post-stroke: A systematic review and meta-analysis exploring

547	virtual environments and commercial games in therapy. PLoS ONE 9:e93318
548	Maclean N, Pound P, Wolfe C, Rudd A (2000) Qualitative analysis of stroke patients'
549	motivation for rehabilitation. BMJ 321:1051-1054
550	Maier M, Rubio Ballester B, Duff A, Duarte Oller E, Verschure P (2019) Effect of Specific
551	Over Nonspecific VR-Based Rehabilitation on Poststroke Motor Recovery: A
552	Systematic Meta-analysis. Neurorehabil Neural Repair 33:112-129
553	doi:10.1177/1545968318820169
554	McMahan T, Parberry I, Parsons TD (2015) Evaluating player task engagement and arousal
555	using electroencephalography. Procedia Manuf 3:2303-2310
556	doi:10.1016/j.promfg.2015.07.376
557	Miller BW (2015) Using reading times and eye-movements to measure cognitive
558	engagement. Educ Psychol 50:31-42 doi:10.1080/00461520.2015.1004068
559	Mumford N, Duckworth J, Thomas PR, Shum D, Williams G, Wilson PH (2010) Upper limb
560	virtual rehabilitation for traumatic brain injury: Initial evaluation of the Elements
561	system. Brain Inj 24:780-791 doi:10.3109/02699051003652807
562	Mumford N, Duckworth J, Thomas PR, Shum D, Williams G, Wilson PH (2012) Upper-limb
563	virtual rehabilitation for traumatic brain injury: A preliminary within-group evaluation
564	of the Elements system. Brain Inj 26:166-176
565	Nagendra H, Kumar V, Mukherjee S (2017) Evaluation of cognitive behavior among deaf
566	subjects with video game as intervention. Cogn Syst Res 42:42-57
567	doi:10.1016/j.cogsys.2016.11.007
568	O'Brien HL, Toms EG (2008) What is user engagement? A conceptual framework for
569	defining user engagement with technology. J Assoc Inf Sci Technol 59:938-955
570	doi:10.1002/asi.20801
571	Oliveira SMS et al. (2018) Electroencephalographic changes using virtual reality program:
572	technical note. Neurol Res 40:160-165 doi:10.1080/01616412.2017.1420584

573	Ostir GV, Berges I, Ottenbacher ME, Clow A, Ottenbacher KJ (2008) Associations between
574	positive emotion and recovery of functional status following stroke. Psychosom Med
575	70:404-409 doi:10.1097/PSY.0b013e31816fd7d0
576	Palma GC et al. (2017) Effects of virtual reality for stroke individuals based on the
577	International Classification of Functioning and Health: a systematic review. Top
578	Stroke Rehabil 24:269-278 doi:10.1080/10749357.2016.1250373
579	Perez MA, Lungholt BK, Nyborg K, Nielsen JB (2004) Motor skill training induces changes
580	in the excitability of the leg cortical area in healthy humans. Exp Brain Res 159:197-
581	205
582	Pope AT, Bogart EH, Bartolome DS (1995) Biocybernetic system evaluates indices of
583	operator engagement in automated task. Biol Psychol 40:187-195
584	Reinecke K, Cordes M, Lerch C, Koutsandreou F, Schubert M, Weiss M, Baumeister J (2011)
585	From lab to field conditions: A pilot study on EEG methodology in applied sports
586	sciences. Appl Psychophysiol Biofeedback 36:265-271 doi:10.1007/s10484-011-
587	9166-x
588	Rogers JM, Duckworth J, Middleton S, Steenbergen B, Wilson PH (2019) Elements virtual
589	rehabilitation improves motor, cognitive, and functional outcomes in adult stroke:
590	Evidence from a randomized controlled pilot study. J Neuroeng Rehabil 16:56
591	doi:10.1186/s12984-019-0531-y
592	Rogers JM, Johnstone SJ, Aminov A, Donnelly J, Wilson PH (2016) Test-retest reliability of
593	a single-channel, wireless EEG system. Int J Psychophysiol 106:87-96
594	Ruffino C, Papaxanthis C, Lebon F (2017) Neural plasticity during motor learning with motor
595	imagery practice: Review and perspectives. Neuroscience 341:61-78
596	doi:10.1016/j.neuroscience.2016.11.023
597	Salminen M, Ravaja N (2008) Increased oscillatory theta activation evoked by violent digital
598	game events. Neurosci Lett 435:69-72 doi:10.1016/j.neulet.2008.02.009

599	Schleiger E, Sheikh N, Rowland T, Wong A, Read S, Finnigan S (2014) Frontal EEG
600	delta/alpha ratio and screening for post-stroke cognitive deficits: The power of four
601	electrodes. Int J Psychophysiol 94:19-24
602	Schultheis MT, Rizzo AA (2001) The application of virtual reality technology in
603	rehabilitation. J Clin Psychiatry 62:617-622
604	Seale GS, Berges I, Ottenbacher KJ, Ostir GV (2010) Change in positive emotion and
605	recovery of functional status following stroke. Rehabil Psychol 55:33-39
606	doi:10.1037/a0018744
607	Slobounov SM, Fukada K, Simon R, Rearick M, Ray W (2000) Neurophysiological and
608	behavioral indices of time pressure effects on visuomotor task performance. Brain Res
609	Cogn Brain Res 9:287-298
610	Slobounov SM, Ray W, Johnson B, Slobounov E, Newell KM (2015) Modulation of cortical
611	activity in 2D versus 3D virtual reality environments: An EEG study. Int J
612	Psychophysiol 95:254-260 doi:10.1016/j.ijpsycho.2014.11.003
613	Smith ME, Gevins A, Brown H, Karnik A, Du R (2001) Monitoring task loading with
614	multivariate EEG measures during complex forms of human-computer interaction.
615	Hum Factors 43:366-380 doi:10.1518/001872001775898287
616	Stephenson W (1967) Play theory. In: The Play Theory of Mass Communication. University
617	of Chicago Press, Chicago, pp 45–65
618	Toms EG (2002) Information interaction: Providing a framework for information architecture.
619	J Assoc Inf Sci Technol 53:855-862 doi:10.1002/asi.10094
620	Triberti S, Riva G (2015) Being present in action: A theoretical model about the
621	"Interlocking" between intentions and environmental affordances. Front Psychol
622	6:2052 doi:10.3389/fpsyg.2015.02052
623	Valderrama JT, de la Torre A, Van Dun B (2018) An automatic algorithm for blink-artifact
624	suppression based on iterative template matching: Application to single channel

625	recording of cortical auditory evoked potentials. J Neural Eng 15:016008
626	doi:10.1088/1741-2552/aa8d95
627	Witmer BG, Jerome CJ, Singer MJ (2005) The factor structure of the Presence Questionnaire.
628	Presence: Teleoperators Virtual Environ 14:298-312
629	Witmer BG, Singer MJ (1998) Measuring presence in virtual environments: A presence
630	questionnaire. Presence: Teleoperators Virtual Environ 7:225-240
631	Wright RA (2008) Refining the prediction of effort: Brehm's distinction between potential
632	motivation and motivation intensity. Soc Personal Psychol Compass 2:682-701
633	Yamada F (1998) Frontal midline theta rhythm and eyeblinking activity during a VDT task
634	and a video game: Useful tools for psychophysiology in ergonomics. Ergonomics
635	41:678-688 doi:10.1080/001401398186847
636	Zappasodi F, Marzetti L, Olejarczyk E, Tecchio F, Pizzella V (2015) Age-Related Changes in
637	Electroencephalographic Signal Complexity. PloS one 10:e0141995-e0141995
638	doi:10.1371/journal.pone.0141995
639	Zimmerli L, Jacky M, Lunenburger L, Riener R, Bolliger M (2013) Increasing patient
640	engagement during virtual reality-based motor rehabilitation. Arch Phys Med Rehabil
641	94:1737-1746 doi:10.1016/j.apmr.2013.01.029
642	

Table 1. Valid epochs and EEG metrics (mean, 95% confidence interval) for each of the four experimental conditions.

Condition	Delta*	Theta*	Alpha*	Beta*	EI	Valid Epochs
Resting						
Eyes Closed	30.18 [27.49,32.87]	26.93 [25.98,27.88]	27.61 [24.89,30.32]	14.89 [13.51,16.27]	27.54 [24.60,30.48]	49.79
Eyes Open	30.78 [28.73,32.84]	28.60 [27.52,29.68]	24.79 [23.15,26.43]	15.81 [14.26,17.37]	29.89 [26.29,33.49]	29.08
Simulation						
Rollercoaster	31.07 29.39,32.74]	30.53 [29.57,31.50]	23.08 [22.07,24.09]	15.32 [13.95,16.70]	28.69 [25.86,31.53]	23.35
EDNA VR	31.81 [29.90,33.71]	30.02 [29.11,30.93]	22.64 [21.64,23.65]	15.40 [13.85,16.96]	29.44 [25.99,32.89]	30.33

Note: *Relative power. EI: Engagement Index; EDNA VR: Elements DNA virtual rehabilitation

Table 2. Post-hoc contrast analysis significance tests (p values) for the four EEG conditions on theta and alpha relative power. Cohen's d effect sizes are presented for significant differences (p < 0.008).

Compa	The	eta	Alpha		
		P value	d value	P value	d value
VR simulation vs.	rollercoaster simulation	0.128		0.391	
	resting eyes closed	< 0.001*	1.40	0.001*	1.02
	resting eyes open	0.001*	0.60	0.005*	0.67
rollercoaster simulation vs.	VR simulation	0.128		0.391	
	resting eyes closed	< 0.001*	1.59	0.005*	0.93
	resting eyes open	0.001*	0.79	0.023	
resting eyes closed vs.	VR simulation	< 0.001*	1.40	0.001*	1.02
	rollercoaster simulation	< 0.001*	1.59	0.005*	0.93
	resting eyes open	0.002*	0.70	0.027	
resting eyes open vs.	VR simulation	0.001*	0.60	0.005*	0.67
	rollercoaster simulation	0.001*	0.79	0.023	
	resting eyes closed	0.002*	0.70	0.027	

Table 3. Spearman Rank Order correlations (one-tailed) between self-reported engagement (Presence Questionnaire) and EEG metrics (theta relative power, alpha relative power)

	sVR theta	sRC theta	rEC theta	rEO theta	sVR alpha	sRC alpha	rEC alpha	rEO alpha	PQ
sVR theta	-								
sRC theta	0.77**	-							
rEC theta	0.41*	0.10	-						
rEO theta	0.65**	0.42*	0.56**	-					
sVR alpha	0.25	0.04	0.12	0.03	-				
sRC alpha	-0.14	-0.31	0.17	-0.22	0.26	-			
rEC alpha	0.13	0.30	-0.46*	-0.25	-0.02	-0.19	-		
rEO alpha	0.04	0.01	-0.08	-0.39*	0.39*	0.49**	0.35*	-	
PQ	0.38*	0.48*	0.19	0.11	0.06	0.10	0.03	0.20	-

Note. *p < 0.05, **p < 0.001. PQ: Presence Questionnaire; rEC: resting eyes closed condition; rEO: resting eyes open condition; sVR: *Elements* DNA virtual rehabilitation simulation condition; sRC: rollercoaster simulation condition.

Figure 1. The tangible user interfaces and tabletop virtual environment in the (a) Bases and (b) Squiggles tasks of the *Elements DNA* virtual-reality system.

